




RAR





TEAM MODEL

The top of the line team model is all new for '87. Designed by Professional Freestylers for Professional Freestylers. It comes standard with everything period. GT has redesigned the frame and fork from front to rear; improving the platform and cable routing. The Team Model comes equipped with the full GT Power Series Crank set-up, Dia-Compe Brakes on both ends, and either GT Mags or Superlace Wheels.






PRO FREESTYLE

TOUR

The Pro Freestyle Tour is serious Freestyle machinery. For riders who demand the integrity of quality design and workmanship, but who also don't mind having the hottest bike around. Built around a U.S. made 100% Chromoly frame and fork, the Pro Freestyle TourTM comes equipped to rip with an Odyssey Gyro, GT Frame and Forkstanders, Chromoly cranks with sealed bearing bottom bracket, and your choice of GT Mags or the new Superlace Wheels.












You can't help but have fun on a scooter, so GT® built the Zoot Scoot™ just for fun. Both the 12" and 14" wheeled models feature a unique frame design and 4130 Chromoly down tube. Performer-style bars, Odyssey Gyro and GT® Tuberides are all standard equipment.







The team model is the same bike used by GT Factory Racers. Its been designed with rider input to be the ultimate race bike, and its choice components include GT Power Series[™] Cranks, GT Sealed Bearing Hubs, DK Stem, IRC Tires. and Dia-Compe 901 Brakes front and rear. Colors: Black, White, Chrome, and GT Blue.








GT Power Series Cranks combine the lightweight of cold forged alloy crank arms, with the strength of a hollow, oversized Cro-Mo spindle to create a drive system equally suited to racing or freestyle. Two pinch bolts on each arm offer unsurpassed clamping power around an extra large contact area on the spindle. The crankset comes standard with a sealed bearing bottom bracket.







GT Pro Performer[™] Bars feature all Chromoly construction, a low crossbar for clearance, and comes in all the hot colors.

GT Pro Racing Bars are the world standard. Made from 100% 4130 Chromoly to reduce power-robbing flex, and the famous GT bend produces an instant advantage out of the gate.

GT Headsets incorporate an internal lock-up spring that prevents loosening in steel, alloy, or peak, and colors to match any bike.

The proven GT design stem holds it's own at the track, and on the ramps. Standard wedge bolt for racing, brake-through system for freestyle.











Part of the Power Series System, GT Chainrings, Powerdiscs, and Sprockets are designed for one thing: to transfer power to the ground. (Alloy or Steel)

GT's Newest Freestyle Tires are made for serious competition. Center ridge thread design and ultra high pressure reduce rolling resistance while the modified GT side blocks improve cornering stability.

GT Superlace Sealed Bearing Alloy Hubs rival the strength of 48-spoke wheels while offering lighter weight and allow the use of conventional 36 hole rims. Nothing special to buy. GT Seatposts, straight or laid back, are all Chromoly. Do they come in all the hot 87 colors? Absolutely.

Need something to stand on? GT's got it covered. Steel and alloy Tuberides now compliment GT's patented frame and forkstanders. Bolt on is better.







Stylish GT Pads reduce the likelyhood of unsightly scrapes and bruises while improving the looks of your scoot.

LIMITED WARRANTY

GT Bicycles inc. warrants the replacement of any original part due to defect in material and/or onginal part due to detect in material analysis workmanship of this GT bicycle. This warranty shall continue in full force and effect for a period of ninety (90) days from the provable date of purchase. Such purchase to be documented by original sales slip or other proof of purchase by such

owner.
GT Bicycles Inc. will replace without charge any original part that is determined by GT Bicycles Inc. to be defective under the terms of this warranty. However, transportation and dealer labor charges

Claims under this warranty must be made through an authorized GT Bicycles Inc. dealer who must also install the replacement part. To locate an authorized GT dealer, write to GT Bicycles Inc., 15552 Container Lane, Huntington Beach, CA 92647, or call (714) 895-5589

Failure due to accident, abuse, neglect, normal wear, improper assembly, improper fit, maintenance by other than an authorized GT dealer or use of parts inconsistent with the use originally intended for the bicycles as sold, are not covered by this war-

There are no other warranties or guarantees ex-pressed or implied made by GT Bicycles Inc. on this bicycle. The sole and exclusive liability of GT Bicycles Inc. and/or any of its authorized dealers, affiliates or agent pursuant to this warranty shall be for the repair or replacement of the defective part; incidental or consequential damages are expressly excluded hereunder

rees yle and racing stunts were performed by GT's professional racing and freestyle team, who are specially trained and safety equipped to perform there advanced stunts. These stunts should not be attempted without proper training, safety equip-ment and adult supervision. Always wear a protec-tive heimet, gloves, and padded clothing when riding your bicycle.

@1987 GT Bicycles, Inc.

15552 Container Lane Huntington Beach, CA 92647 (714) 895-5589 Telex 754O22

Printed in Taiwan

NOTICE: The user assumes the risk of any personal injuries, damage to or failure of the blocycle and any other losses if Dyno bicycles are used in any competitive event, including bicycle racing, or in bicycle motocross, dirt biking or similar activities. Do NOT USE Dyno bicycles for stunt riding, ramp jumping, acrobatics or similar activities, or with motors as power driven vehicles. This warranty does not cover any personal injuries, damage to or failure of the bicycle, exerciser, or other product, or other losses, due to accident, misues, neglect, abuse, normal wear, improper NOTICE: The user assumes the risk of any perneglect, abuse, normal wear, improper assembly or improper maintenance.

